







Mfrs.: WOOD WORKING MACHINER

YEARS

RADHEKRISHNA





Thickness planer machine-double pieton heavy-duty





Thickness-Molding machine



Thanesh Surface Sargler



Thickness-surface droube & E

MAGEL NO		980,181	BS0 - 180	100-103	100-164	200
Thokress Capacity	(Inchi)	BAR.	212	Mar.	1001000	26.4
	(mark)	152 x 152	208 x 152	535 x 203	457 x 203	1605 x
Surface Capacity	(moti)	5" x 30"	FAR	10" x 40"	18" x 88"	24" 1
	(Mark)	150 x 914	226 x 1216	330 x 1219	457 x 1218	SOUR !
Circular Capacity	(mah)	107	107	70	10"	107
	Seed.	254	254	254	254	254
Molding-Attacherent	(MITE	TAT	815	615	815	50
	(man)	108 x 527	101 x 127	101 x 127.	501 x 127	101 k
Disting Casacity		4.45	£15	4.11	405	6.11
	(RPM)	101 x 152	101 v 152	101 × 152	101 4 153	1700 WT
Speed of Culter Builds	INPS.				***************************************	
		4200	4200	4300	4200	4200
Power Narpured		275440	371440	2/5440	3/1440	5744

Note: 2 Made Cutter, Block in place of 3 Blade Cuter Black may be supplied on Request. with extra Cost



CPECAM



Burface-planer-with produce



Sufface-planer-with circular-light



Surface planer with circular



Surface planer with orover

#### Surface-planer-with circular

MODEL NO.		RR0-186	RNG-NET	894 - X88	804-189	800-100	ROG-YEI	100 - 112	86-10	4001-154	890 198	AND - 170
Surtera Popi	(mely	FASE STATE	THE APPEAR	10" LAP	12"141"	15" x AF 108 X 1218	TIPE SET	137 x 727	28" × 60"	(E172)	26" X 100"	SF1.12
Onuse Capacity	(MIN)	E.	1.T	12"	T.P	12"	12	T	12°	C.	tr.	15
Speed Of Cultur Block	Years	200	.534	334	304	324	304	10m	304	304	306	364
Power Required	(9.7)	-6200 57544E	2/1440	\$200 3/1440	27440	4205 27440	A255 2/1645	31440	97445	4200 37440	4200 31840	4000 3/1440

Note: 2 Stade Cultur, Stock in place of 3 Blade Cultur Block may be supplied on Request with extra Cost.



250x250v



stand-250x250

#### Thickness Planner open stand (Combi)

Inickness Planner open stand (Combi					
MODEL NO.			80.19		
Thomas Casesy	(00)	10" x 7" 250 x 190	(F17 497 k 1210		
Surface Capacity	(Inch)	10"x 40"	EPART SECUTION		
Circular Capacity	(PROFIL)	75 254	707 254		
	(874)	4200	4200		
	IMPS:	201440	271485		





Automatic-molding machine

# **Auto Mould**

MODEL NO.	RKI-119
Table Size	18" x 6"
Up & Down Movement	4°
Longitudinal Movement	2"
Table Tit	15°
Moulding Block Width	4.5"
Power Reg. HP/RPM	3/1446



Combined -planner

# Combine Planner

MODEL NO.		RIKI - 1200	RIG-121	<b>FRI - 12</b>
Thickness Capacity	(inch)	9" x 7"	13° x 7"	16" x 7"
2.00	(mm)	228 x 152	330 x 200	457 x 20
Surface Capacity	(inch)	9* 48*	13" x 48"	18° x 48'
	(mm)	228 x 1219	330 x 1219	457 x 121
Circular Capacity	(inch)	107	10"	10"
	(mmi)	254	254	254
Drilling Capacity	(incti)	4° x 6"	4" x 6"	4° x 5°
	(mm)	101 x 152	161 x 152	105 x 15
Speed Of Cutter Block	E		100	100
	(RPM)	4200	4200	4200
Power Required	(H.P.)	2/1440	2/1440	3/1440



Thickness-planerwith-grinder

# Thickness Planner with Grinder

MODEL NO.		RM 121	RIG - 124	FOX1 - 125	RHG - 126	RKG - 127
Thickness Capacity	(inch)	6" x 6" 152 x 152	97 x 6° 228 x 152	13° ± 8°	18" x 8" 457 x 203	24° #8° 609 x 203
Moiding Attachment	(mch)	4'x5"	4° x 5°	4" x.5"	4" x 5"	4" x 5"
Capacity Speed Of Cutter Black	(min).	101 x 127	101 x 127	101 x 127	101 x 127	101 x 127
	(RPM)	4200	4200	4200	4200	4200
Power Required	(HP)	2/1440	2/1440	2/1440	3/9440	3/1440



Artou:



Drill-fied



Chain-mortiser

## Chain Mortiser

MODEL NO.	RIGH-128
Table Size Max Depth Of Out	22" x.9" 5 7,
Electric Motor (H.P.) Power Required (RPM)	2 HP 1440





Spindle-moulders --250x250

## Spindle Moulder

MODEL NO.	RKL-129
Work Table Size	33° x 33°
Spinon Diametri	10.
Up & Down Movement	8"
Max Moulding Block Width	5"
Spindle Speed (RPM)	6000
Power Reg. (HP.RPM)	12800



Circular-sawmachine

## Circular Saw Machine (Bench Model)

MODEL NO.	RHI-530	RMI - 131
SOM	250 mm	300 mm
Motor Pulley	A*	4"
Fider Whitel	10° ± 1.8°	12° x 1.8°
Universal Wise	8" x 4"	8" x 4"
Division Daza (MDIDIDIAL)	1/2900	1/25000



Adjustable orcular-saw

# Adjustable Circular Saw

MODEL NO.	RIQ-132
Charle San Oli Work Tipole Stra	8" 14" x 18"
Max Depth Of Cut	2
Power Resured HP RPM	8/3440



Circular Saw

#### Adjustable Circular Saw

10,0010	
MODEL NO.	PDCL-153
Circular Saw Dia Work Table Size	12° 18" x 24"
Max, Depth Of Out	2"
Tick: Till Power Recurred HP RPM	101440



Terro-ac-250/250

#### Tona Mai

Teno-mac	
MODEL NO.	RKI-134
Table Size Table Movement Max. Length of Tenon 2 nos cardide outne blocks of size 6° dia: x 1° with each Eletting motor - 2 motors each of 2 HP (3oh 1 2800 RPM	21" a 5". 6"



Wood Turning-lathe-machine



Wood Turning-lathe-machine

## Turning Lathe

MODEL NO.	RK) - 135	F00-126
Length Of Bed Height Of Center	4 4 R	6'/."
Face Plate Dia Power Req. HP/RPM	1/1440	1/1440



Band-saw-machine

#### Band-Saw-Machine

MODEL NO.	RIG - 137	B004138	881-130
Dis of Saw Wheel	455 min	295 mm	225 mm
Speed of Saw Wheel	490 / 620 RPM	650 / 1520 RPM	850 / 5520 RPM
Table Site	508 x 508 min	295 ± 340 RPM	225 x 300 mm
Power Required	2 HP / 1440 RPM	1.HP / 1420 RPM	0 6 HP/1440 RPM
Culting Thickness	150 mm	100 mm	50 mm
Approx Weight	340 Kg	115 Kg	55 Kg



Planner Blade Grinder

Planner Blade Grinder

#### Planner Blade Grinder

	THE RESERVE AND ADDRESS.	0	04
MOBEL NO.	-FIRT - 1465	18 (18)	581 - 14E
Max. Grinding Capacity	13"	18"	24"
Power Rea HP/RPM	0.5/1440	0.5/1440	0.5/1440



Agsaw-machine

## **Jigsaw Machine**

MODEL NO		F00-143	RH7-144	RIG-145
Cutting Caponity	(mm)	12" v 2" 350 x 50	24" x 2" (60 x 50	36" x 2" 959 x 50
Table Size	(inch)	12' x 12'	12" x 12"	12" x 12"
	(mm)	304 x 304	304 x 304	- 304 x 304
Speed Of Blades	(RPM)	550	560	550
	(RPM)	750	760	750
	(RPM)	950	950	950
Trang-of Table	(Both Side)	30 Degree	30 Degree	30 Degree
Power Required		0.5 & 1	0.5 & 1	0 5 & 1



# Belt & Disc Sander

MODEL NO.	RIKI - 148
Sanding Bed 3:00	10
Sanding Dec Star	10
Power Ring, 17,72PM	1/1449

Belt & Disc Machine



Cut-Off Machine

#### Cut - Off Machine

MODEL NO.	FIG - 147	RKI-148	RIS) 149
Mar Wiler Str Power Rep HP RPM	101		1/2800

Note: We Reserve the Right to Modify the Design & Specification without Prior Notice





# RADHEKRISHNA INDUSTRIES

MFRS.: WOOD WORKING MACHINERY

E: info@rkiwoodmachine.com, radhekrishnaind9@gmail.com

Web: www.rkiwoodmachine.com

Dealers Stamp & Signature